


Item#1867 - 40 : SERVER

Server








Strap	Anchor	Brackets	Screw (Ø8x1")	Screw (Ø8x5/8")
	(1) To the state of the state o			~
1pc	1pc	2pcs	1pc	1pc

1pc



This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Assemble the furniture Tipping Restraint (B) to the Server (A).



Cleaning & Care

Treat surface with care. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.

Made in VietNam

Item#1867 - 50/55 : HUTCH /BUFFET






1pc

D Furniture Tipping Restraint

1pc

Strap	Anchor	Brackets	Screw (Ø8x1")	Screw (Ø8x5/8")
				(**
1pc	1pc	2pcs	1pc	1pc


Note: Hardware pack is in 1867-50



This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.


2pcs

Assemble the hutch (A) to the buffet (B) with 2 pcs metal connector, 2 pcs screw (C) provided as shown. You may adjust the floor leveler on the bottom as needed.



2


Assemble the furniture Tipping Restraint (D) to the Hutch (A).




Cleaning & Care



Item#1867 - 102/102B: DINING TABLE




Note: Hardware pack is in 1867-102





This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Attach the pedestal (C) to the base (D) with 16pcs hex nut (F), 16pcs flat washer(H), then tighten using wrench (J).




Attach the mounting plate (E) to the pedestal (C) with 8 pcs hex nut (F), 8 pcs flat washer(H), then tighten using wrench (J).






3

Attach the mounting plate (E) to the Table top (A) with 8 pcs bolt (G), 8 pcs flat washer (H), 8 pcs spring washer (I), then tighten using wrench (J).








Cleaning & Care

Item#1867S: SIDE CHAIR




1pc



9 pcs


This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Attach the seat cushion frame (B) to the back frame (A) with 1pc bolt (F), 1pc flat washer(G), 1 pc spring washer (H) then tighten using wrench (I).




2

Attach the seat cushion frame (B) to the back frame (A) with 4pcs bolt (D), 4pcs flat washer(G), 4 pcs spring washer (H) then tighten using wrench (I).



3


Attach the legs (C) to the seat cushion frame (B) with 4pcs bolt (E), 4 pcs flat washer(G), 4 pcs spring washer (H) then tighten using wrench (I).



Cleaning & Care




Item#1867A: ARM CHAIR






This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Attach the seat cushion frame (B) to the back frame (A) with 1pc bolt (I), 1pc flat washer(J), 1 pc spring washer (K) then tighten using wrench (L).




2

Attach the seat cushion frame (B) to the back frame (A) with 4pcs bolt (G), 4pcs flat washer(J), 4 pcs spring washer (K) then tighten using wrench (L).




3

Attach the legs (C) to the seat cushion frame (B) with 4pcs bolt (H), 4 pcs flat washer (J), 4 pcs spring washer (K) then tighten using wrench (L).



4

Attach the left side facing arm (D) and right side facing arm (E) to the back frame (A) and seat cushion frame (B) with 2pcs bolt (I), 2 pcs flat washer(J), 2 pcs spring washer (K) then tighten using wrench (L), after use screw (F) provided as shown.



Cleaning & Care