Assembly Instruction


ITEM NO:8255GY-CR Corner Seat

NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which lead to splitting or cracking the wood.


COMPONENT LIST

| NO. | DRAWING | QTY | DESCRIPTION |
|-----|---------|-----|---------------|
| A | | 1 | SEAT |
| В | | 1 | LSF BACK REST |
| С | | 1 | RSF BACK REST |


Please follow the drawings below to assemble the item. Step 1. Align the female brackets at the back onto the male brackets at the seat, insert and push to the end, make sure the brackets are secured in position.



Step 2. Completed.



Step 3.Line up the chair connector and lift up one side to lock in place. Connect the wire on LSF/RSF back rest to operate the power headrest.



| LED LIGHT ON/OFF | CHAIR OPEN |
|------------------|-------------|
| HEADREST OPEN | CHAIR CLOSE |
| HEADREST CLOSE | |

CARE INSTRUCTION FOR LEATHER GEL MATCH FURNITURE:

- Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/damage leather gel match.
- Wipe gently with a damp soft cloth to remove dust, dirt and any grime buildup
- Wipe the leather gel match with professional cleanser.
- A For items use on wooden floor, hard surfaces or carpets, it is recommended to Install protective pads under all legs and supports to avoid/prevent from damages/scratches and discoloration.

Assembly InstructionITEM NO:8255GY-2LCNPHD


LSF Power Reclining Love Seat with Console, LED Cup Holders, Power Headrest and LED Light

NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which lead to splitting or cracking the wood.


COMPONENT LIST

| NO. | DRAWING | QTY | DESCRIPTION |
|-----|---------|-----|-------------------|
| A | | 1 | SEAT |
| В | | 1 | LSF BACK REST |
| С | | 1 | RSF BACK REST |
| D | | 1 | CONSOLE BACK REST |
| E | | 1 | LSF EAR |
| F | | 1 | ADAPTOR |
| G | | 1 | PLUG WIRE |


Step 1.Console back rest is stored in non-woven bag and put in the bottom of console. Please take out for assembly




Step 2. Align the female brackets at the back rest onto the male brackets at the seat, insert and push to the end, make sure the brackets are secured in position.




Step 3. Insert the LSF ear to the back rest and make sure it is secured in position.



Step 4. Completed



Step 3.Line up the chair connector and lift up one side to lock in place. Connect the wire on LSF/RSF back rest to operate the power headrest.



| LED LIGHT ON/OFF | CHAIR OPEN |
|------------------|-------------|
| HEADREST OPEN | CHAIR CLOSE |
| HEADREST CLOSE | |

CARE INSTRUCTION FOR LEATHER GEL MATCH FURNITURE:

- Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/damage leather gel match.
- Wipe gently with a damp soft cloth to remove dust, dirt and any grime buildup
- Wipe the leather gel match with professional cleanser.
- A For items use on wooden floor, hard surfaces or carpets, it is recommended to Install protective pads under all legs and supports to avoid/prevent from damages/scratches and discoloration.

Assembly InstructionITEM NO:8255GY-2RCNPHD


RSF Power Reclining Love Seat with Console, LED Cup Holders, Power Headrest and LED Light

NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which lead to splitting or cracking the wood.


COMPONENT LIST

| NO. | DRAWING | QTY | DESCRIPTION |
|-----|---------|-----|-------------------|
| A | | 1 | SEAT |
| В | | 1 | LSF BACK REST |
| С | | 1 | RSF BACK REST |
| D | | 1 | CONSOLE BACK REST |
| E | | 1 | RSF EAR |
| F | | 1 | ADAPTOR |
| G | | 1 | PLUG WIRE |


Step 1.Console back rest is stored in non-woven bag and put in the bottom of console. Please take out for assembly




Step 2. Align the female brackets at the back rest onto the male brackets at the seat, insert and push to the end, make sure the brackets are secured in position.




Step 3. Insert the RSF ear to the back rest and make sure it is secured in position.



Step 4. Completed



Step 3.Line up the chair connector and lift up one side to lock in place. Connect the wire on LSF/RSF back rest to operate the power headrest.



| LED LIGHT ON/OFF | CHAIR OPEN |
|------------------|-------------|
| HEADREST OPEN | CHAIR CLOSE |
| HEADREST CLOSE | |

CARE INSTRUCTION FOR LEATHER GEL MATCH FURNITURE:

- Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/damage leather gel match.
- Wipe gently with a damp soft cloth to remove dust, dirt and any grime buildup
- Wipe the leather gel match with professional cleanser.
- A For items use on wooden floor, hard surfaces or carpets, it is recommended to Install protective pads under all legs and supports to avoid/prevent from damages/scratches and discoloration.