

Item#1919NC-15L: VANITY LSF PIER

(A) LSF






Strap	Anchor	Brackets	Screw (Ø8x1")	Screw (Ø8x5/8")
1pc	1pc	2pcs	1pc	1pc



This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Assemble the furniture Tipping Restraint (B) to the LSF (A).



Cleaning & Care

Treat surface with care. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.



Item#1919NC-15R: VANITY RSF PIER

(A) RSF






Strap	Anchor	Brackets	Screw (Ø8x1")	Screw (Ø8x5/8")
				~
1pc	1pc	2pcs	1pc	1pc



This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Assemble the furniture Tipping Restraint (B) to the RSF (A).





Cleaning & Care

Treat surface with care. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.

HOME ASSEMBLY INSTRUCTION


Item#1919NC-15M: VANITY MIRROR






This page lists all the contents included in the box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Assemble the mirror support (D) to the LSF pier (A), RSF pier (B) with 6 pcs bolt (G), 6 pcs flat washer (H) and 6 pcs spring washer (I) tighten using allen key (L).





Attach the shelf frame (E) to the LSF pier (A), RSF pier (B) with 4pcs shelf support (K) using the screw (J) provided as shown



3

Assemble the mirror support (D) to the mirror (C) with 4 pcs bolt (G), 4 pcs flat washer (H) and 4 pcs spring washer (I) tighten using allen key (L).





Cleaning & Care

Treat surface with care. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.